

- Agler B**, Ruggerone G, Wilson L, **Mueter F** (2013) Historical growth of Bristol Bay and Yukon River, Alaska chum salmon (*Oncorhynchus keta*) in relation to climate and inter-and intraspecific competition. *Deep Sea Research Part II: Topical Studies in Oceanography* 94:165-177
- Aguilar-Islas AM**, Rember R, Nishino S, Kikuchi T, Itoh M (2013) Partitioning and lateral transport of iron to the Canada Basin. *Polar Science* 7:82-99
- Baker CS, Steel D, Calambokidis J, Falcone E, Gonzalez-Peral U, Barlow J, Burdin AM, Clapham PJ, Ford JKB, Gabriele CM, Mattila D, Rojas-Bracho L, Straley JM, Taylor BL, Urban J, Wade PR, Weller D, **Witteveen BH**, Yamaguchi M (2013) Strong maternal fidelity and natal philopatry shape genetic structure in North Pacific humpback whales. *Marine Ecology Progress Series* 494:291-306
- Barlow J, Tyack P, Johnson M, Baird R, Schorr G, **Andrews R**, Aguilar de Soto N (2013) Trackline and point detection probabilities for acoustic surveys of Cuvier's and Blainville's beaked whales. *Journal of the Acoustical Society of America* 134:2486–2496
- Barrera-Garcia A, O'Hara T, Galvan-Magana F, Mendez-Rodriguez LC, **Castellini JM**, Zenteno-Savin T (2013) Trace elements and oxidative stress indicators in the liver and kidney of the blue shark (*Prionace glauca*). *Comparative Biochemistry and Physiology a-Molecular & Integrative Physiology* 165:483-490
- Barry PD, **Tamone SL**, **Tallmon DA** (2013) A complex pattern of population structure in the North Pacific giant octopus *Enteroctopus dofleini* (Wulker, 1910). *Journal of Molluscan Studies* 79:133-138
- Bechtel P**, **Oliveira A**, **Demir N**, **Smiley S** (2013) Chemical composition of the giant red sea cucumber, *Parastichopus californicus*, commercially harvested in Alaska. *Food Science & Nutrition* 1:63-73
- Blanchard AL**, **Parris CL**, **Knowlton AL**, **Wade NR** (2013) Benthic ecology of the northeastern Chukchi Sea. Part II. Spatial variation of megafaunal community structure, 2009–2010. *Cont Shelf Res*
- Blanchard AL**, **Parris CL**, **Knowlton AL**, **Wade NR** (2013) Benthic ecology of the northeastern Chukchi Sea. Part I. Environmental characteristics and macrofaunal community structure, 2008 – 2010. *Cont Shelf Res*
- Brewer RS**, **Seitz AC** (2013) A Unique Case of Bilateral Hectocotylization in the North Pacific Giant Octopus (*Enteroctopus Dofleini*). *Malacologia* 56:297-300
- Bu KX, Cizdziel JV, **Dasher D** (2013) Plutonium concentration and Pu-240/Pu-239 atom ratio in biota collected from Amchitka Island, Alaska: recent measurements using ICP-SFMS. *J Environ Radioactiv* 124:29-36
- Calkins D, **Atkinson S**, **Mellish J**, **Waite J**, Carpenter J (2013) The pollock paradox: Juvenile Steller sea lions experience rapid growth on pollock diets in fall and spring. *J Exp Mar Biol Ecol* 441:55-61
- Campbell MA, Chen WJ, **Lopez JA** (2013) Are flatfishes (Pleuronectiformes) monophyletic? *Mol Phylogenet Evol* 69:664-673
- Campbell MA, **Lopez JA**, Sado T, Miya M (2013) Pike and salmon as sister taxa: Detailed intraclade resolution and divergence time estimation of Esociformes plus Salmoniformes based on whole mitochondrial genome sequences. *Gene* 530:57-

- Carothers C** (2013) A survey of US halibut IFQ holders: Market participation, attitudes, and impacts. *Marine Policy* 38:515-522
- Carroll SS, Horstmann-Dehn L, Norcross BL** (2013) Diet history of ice seals using stable isotope ratios in claw growth bands. *Can J Zool-Rev Can Zool* 91:191-202
- Chenoweth E** (2013) Trend Lines to Headlines: A Scientist's Foray into Journalism. *Fisheries* 38:510-511
- Cooper LW, Sexson MG, Grebmeier JM, **Gradinger R**, Mordy CW, Lovvorn JR (2013) Linkages Between Sea-Ice Coverage, Pelagic-Benthic Coupling, and the Distribution of Spectacled Eiders: Observations in March 2008, 2009 and 2010, Northern Bering Sea. *Deep Sea Research Part II: Topical Studies in Oceanography* <http://dx.doi.org/10.1016/j.dsr2.2013.03.009>
- Correa L, **Castellini JM**, Wells RS, O'Hara T (2013) Distribution of Mercury and Selenium in Blood Compartments of Bottlenose Dolphins (*Tursiops Truncatus*) from Sarasota Bay, Florida. *Environmental Toxicology and Chemistry* 32:2441-2448
- Coyle KO**, Gibson GA, Hedstrom K, Hermann AJ, **Hopcroft RR** (2013) Zooplankton biomass, advection and production on the northern Gulf of Alaska shelf from simulations and field observations. *Journal of Marine Systems* 128:185-207
- Criddle K, Strong J** (2013) Dysfunction by design: the effects of limitations on transferability of catch shares in the Alaska pollock fishery. *Marine Policy* 40:91-99
- Cross JN, Mathis JT**, Bates NR, Byrne RH (2013) Conservative and non-conservative variations of total alkalinity on the southeastern Bering Sea shelf. *Marine Chemistry* 154:100-112
- Curtis A, **Wheat CG**, Fryer P, Moyer C (2013) Mariana forearc serpentinite mud volcanoes harbor novel communities of extremophilic Archaea. *Geomicrobiology J* 30:1-12
- Curtis A, **Wheat CG**, Fryer P, Moyer C (2013) Mariana forearc serpentinite mud volcanoes harbor novel communities of extremophilic Archaea. *Geomicrobiology J* 30:1-12
- Daly B, Eckert GL**, White TD (2013) Predation of hatchery-cultured juvenile red king crabs (*Paralithodes camtschaticus*) in the wild. *Can J Fish Aquat Sci* 70:358-366
- Daly B**, Swingle JS (2013) High-density nursery culture of recently-settled blue king crabs (*Paralithodes platypus*): Comparisons to red king crabs (*Paralithodes camtschaticus*). *Aquaculture* 416:196-200
- Daly B**, Swingle JS, **Eckert GL** (2013) Dietary astaxanthin supplementation for hatchery-cultured red king crab, *Paralithodes camtschaticus*, juveniles. *Aquac Nutr* 19:312-320
- Day RH, **Weingartner TJ**, **Hopcroft RR**, Aerts LAM, **Blanchard AL**, **Gall AE**, Gallaway BJ, Hannay DE, **Holladay BA**, **Mathis JT**, **Norcross BL**, **Questel JM**, Wisdom SS (2013) The offshore northeastern Chukchi Sea, Alaska: A complex high-latitude ecosystem. *Cont Shelf Res*
- Deng DF, Ju ZY, Dominy WG, Bechtel PJ, **Smiley S** (2013) An evaluation of pink

- salmon (*Oncorhynchus gorbuscha*) testes meal in diets for pacific white shrimp (*Litopenaeus vannamei*): effect on palatability, digestibility and growth performance. *Aquac Nutr* 19:908-916
- Easley RA, Patsavas MC, Byrne RH, Liu XW, Feely RA, **Mathis JT** (2013) Spectrophotometric Measurement of Calcium Carbonate Saturation States in Seawater. *Environmental Science & Technology* 47:1468-1477
- Eisner L, **Hillgruber N**, Martinson E, Maselko J (2013) Pelagic fish and zooplankton species assemblages in relation to water mass characteristics in the northern Bering and southeast Chukchi seas. *Polar Biol* 36:87-113
- Evans W**, Hales B, Strutton PG (2013) pCO₂ distributions and air-water CO₂ fluxes in the Columbia River estuary. *Estuarine Coastal and Shelf Science* 117:260-272
- Evans W**, **Mathis JT** (2013) The Gulf of Alaska coastal ocean as an atmospheric CO₂ sink. *Cont Shelf Res* 65:52-63
- Evans W**, **Mathis JT**, **Cross JN** (2013) Calcium carbonate corrosivity in an Alaskan inland sea. *Biogeosciences Discuss* 10:14887-14922
- Evans W**, **Mathis JT**, **Winsor P**, **Statscewich H**, **Whitledge TE** (2013) A regression modeling approach for studying carbonate system variability in the northern Gulf of Alaska. *J Geophys Res-Oceans* 118:476-489
- Filatova O, **Witteveen B**, Goncharov A, Tiunov A, Goncharova M, Burdin A, Hoyt E (2013) The diets of humpback whales (*Megaptera novaeangliae*) on the shelf and oceanic feeding grounds in the western North Pacific inferred from stable isotope analysis. *Mar Mamm Sci* 29:E253-265
- Flannery BG, Spangler RE, **Norcross BL**, Lewis CJ, Wenburg JK (2013) Microsatellite Analysis of Population Structure in Alaska Eulachon with Application to Mixed-Stock Analysis. *Trans Am Fish Soc* 142:1036-1048
- Ford JKB, Durban JW, Ellis GM, Towers JR, Pilkington JF, Barrett-Lennard LG, **Andrews RD** (2013) New insights into the northward migration route of gray whales between Vancouver Island, British Columbia, and southeastern Alaska. *Mar Mamm Sci* 29:325-337
- Fox A, Hughes E, Trocine R, Trefry J, McTigue N, Lasorsa B, **Konar B** (2013) Mercury in the northeastern Chukchi Sea: Distribution patterns in seawater and sediments and biomagnification in the benthic foodweb. *Deep-Sea Res II* dx.doi.org/10.1016/j.dsr2.2013.07.012i
- Froehlich H, Essington T, **Beaudreau A**, Levin P (2013) Movement patterns and distributional shifts of Dungeness crab (*Metacarcinus magister*) and English sole (*Parophrys vetulus*) during seasonal hypoxia. *Estuaries and Coasts* 10.1007/s12237-013-9676-2
- Frost C**, **Hollmen T**, Reynolds J (2013) Trends in annual survival of Steller's eiders molting at Izembek Lagoon on the Alaska Peninsula 1993-2006. *Arctic* 66:173-178
- Garvin M**, Kondzela C, Martin P, Finney B, Guyon J, Templin W, DeCovich N, Gilk-Baumer S, **Gharrett A** (2013) Recent physical connections may explain weak genetic structure in western Alaskan chum salmon (*Oncorhynchus keta*) populations. *Ecology and Evolution* 3:2362–2377

- Gasper JR, **Kruse GH** (2013) Modeling of the spatial distribution of Pacific spiny dogfish (*Squalus suckleyi*) in the Gulf of Alaska using generalized additive and generalized linear models. *Can J Fish Aquat Sci* 70:1372-1385
- Geiger GL, **Atkinson S**, Waite JN, Blundell GM, Carpenter JR, **Wynne K** (2013) A new method to evaluate the nutritional composition of marine mammal diet from scats applied to harbor seals in the Gulf of Alaska. *J Exp Mar Biol Ecol* 449:118-128
- Gharrett A, Joyce J, Smoker W** (2013) Fine-scale temporal adaptation within a salmonid population: Mechanism and consequences. *Mol Ecol Resour* 22:4457-4469
- Gibson GA, **Coyle KO**, Hedstrom K, Curchitser EN (2013) A modeling study to explore the on-shelf transport of oceanic zooplankton in the Eastern Bering Sea. *Journal of Marine Systems* 121-122:47-64
- Glazier E, **Carothers C**, Milne N, Iwamoto M (2013) Seafood and Society on O'ahu in the Main Hawaiian Islands. *Pacific Science* 67:345-359
- Hauri C**, Gruber N, **McDonnell AMP**, Vogt M (2013) The intensity, duration, and severity of low aragonite saturation state events on the California continental shelf. *Geophys Res Lett* 10.1002/grl.50618
- Hauri C**, Gruber N, Vogt M, Doney SC, Feely RA, Lachkar Z, Leinweber A, **McDonnell AMP**, Munnich M, Plattner GK (2013) Spatiotemporal variability and long-term trends of ocean acidification in the California Current System. *Biogeosciences* 10:193-216
- Hauri C, Winsor P**, Juranek LW, **McDonnell AMP**, Takahashi T, **Mathis JT** (2013) Wind-driven mixing causes a reduction in the strength of the continental shelf carbon pump in the Chukchi Sea. *Geophys Res Lett* 40:5932-5936
- Haynes TB**, Campbell MA, Neilson JL, **Lopez JA** (2013) Molecular identification of seabird remains found in humpback whale feces. *Marine Ornithology* 41:161-166
- Haynes TB, Rosenberger AE**, Lindberg MS, Whitman M, Schmutz JA (2013) Method- and species-specific detection probabilities of fish occupancy in Arctic lakes: implications for design and management. *Can J Fish Aquat Sci* 70:1055-1062
- Heintz RA, **Siddon EC**, Farley EV, Napp JM (2013) Correlation between recruitment and fall condition of age-0 pollock (*Theragra chalcogramma*) from the eastern Bering Sea under varying climate conditions. *Deep-Sea Res Pt II* 94:150-156
- Himelbloom B, Oliveira A, Chantarachoti J, Crapo C** (2013) Ethanol development in tissues of spoiling whole pink salmon (*Oncorhynchus gorbusha*). *J Food Quality* 36:263-268
- Hoem Neher TD, Rosenberger AE**, Zimmerman CE, Walker CM, Baird SJ (2013) Use of glacier river-fed estuary channels by juvenile Coho Salmon: transitional or rearing habitats? *Environ Biol Fish* 10.1007/s10641-013-0183-x
- Hollowed A, Barange M, Beamish R, Brander K, Cochrane K, Drinkwater K, Foreman M, Hare J, Holt J, Ito S, Kim S, King J, Loeng H, MacKenzie B, **Mueter F**, Okey T, Peck M, Radchenko V, Rice J, Schirripa M, Yatsu A (2013) Projected Impacts of Climate Change on Marine Fish and Fisheries. *ICES J Mar Sci* 70:1023-1037
- Hoover-Miller A, Bishop A, Prewitt J, Conlon S, **Jeziarski C**, Armato P (2013) Efficacy of voluntary mitigation in reducing harbor seal disturbance. *Journal of Wildlife*

Management 77:689-700

- Hop H, **Bluhm B**, Daase M, **Gradinger R**, Poulin M (2013) Arctic sea ice biota. Arctic Report Card: Update for 2013
http://www.arctic.noaa.gov/reportcard/sea_ice_biota.html
- Hopcroft RR**, Day RH (2013) Introduction to the special issue on the ecology of the northeastern Chukchi Sea. Cont Shelf Res 67:1-4
- Hulson PJF, **Quinn II TJ**, Hanselman DH, Ianelli J (2013) Spatial modeling of Bering Sea walleye pollock with integrated age-structured assessment models in a changing environment. Can J Fish Aquat Sci DOI 10.1139/cjfas-2013-0020
- Hunt GL, **Blanchard AL**, Boveng P, Dalpadado P, Drinkwater KF, Eisner L, **Hopcroft RR**, Kovacs KM, **Norcross BL**, Renaud P, Reigstad M, Renner M, Skjoldal HR, Whitehouse A, Woodgate RA (2013) The Barents and Chukchi Seas: Comparison of two Arctic shelf ecosystems. Journal of Marine Systems 109:43-68
- Hurst TP, **Fernandez ER**, **Mathis JT** (2013) Effects of ocean acidification on hatch size and larval growth of walleye pollock (*Theragra chalcogramma*). ICES J Mar Sci 70:812-822
- Iken K**, **Bluhm B**, Søreide J (2013) Arctic benthic communities. Arctic Report Card Update for 2013 http://www.arctic.noaa.gov/reportcard/benthic_communities.html
- Jaatinen K, Seltmann M, **Hollmén T**, **Atkinson S**, Mashburn K, Ost M (2013) Context dependency of baseline glucocorticoids as indicators of individual quality in a capital breeder. Gen Comp Endocrinol 191:231-238
- Jasper JR, Habicht C, Moffitt S, Brenner R, **Marsh J**, Lewis B, Fox EC, Grauvogel Z, Olive SDR, Grant WS (2013) Source-Sink Estimates of Genetic Introgression Show Influence of Hatchery Strays on Wild Chum Salmon Populations in Prince William Sound, Alaska. PLoS One 8
- Jewett SC** (2013) Mining-induced and storm-induced benthic disturbances in Norton Sound, Alaska. In: Lang MA, Sayer MDJ (eds) 2013 AAUS/ESDP Curacao Joint International Scientific Diving Symposium. American Academy of Underwater Sciences, Curaçao. Dauphin Island, AL, p 125-138
- Johnston TMS, Rudnick DL, Alford MH, Pickering A, **Simmons HL** (2013) Internal tidal energy fluxes in the South China Sea from density and velocity measurements by gliders. J Geophys Res Oceans 118:doi: 10.1002/jgrc.20311
- Josefson A, Mokievsky V, Bergman M, Blicher M, **Bluhm B**, Cochrane S, Denisenko N, Hasemann C, Jørgensen L, Klages M, Schewe I, Sejr M, Soltwedel T, Weslawski J, Wlodarska-Kowalczyk (2013) Chapter 8: Marine invertebrates
- Ju ZY, Forster IP, Deng DF, Dominy WG, **Smiley S**, Bechtel PJ (2013) Evaluation of skate meal and sablefish viscera meal as fish meal replacement in diets for Pacific threadfin (*Polydactylus sexfilis*). Aquac Res 44:1438-1446
- Jung JH, **Hicken CE**, Boyd D, Anulacion BF, Carls MG, Shim WJ, Incardona JP (2013) Geologically distinct crude oils cause a common cardiotoxicity syndrome in developing zebrafish. Chemosphere 91:1146-1155
- Kamin L**, **Palof K**, Heifetz J, **Gharrett A** (2013) Interannual and spatial variation in the population genetic composition of young-of-the-year Pacific ocean perch

- (*Sebastes alutus*) in the Gulf of Alaska. Fish Oceanogr doi: 10.1111/fog.12038
- Keogh MJ, **Atkinson S**, Maniscalco JM (2013) Body condition and endocrine profiles of Steller sea lion (*Eumetopias jubatus*) pups during the early postnatal period. Gen Comp Endocrinol 184:42-50
- Kolb TL, Blukacz-Richards EA, Muir AM, Claramunt RM, Koops MA, Taylor WW, **Sutton TM**, Arts MT, Bissel E (2013) How to Manage Data to Enhance Their Potential for Synthesis, Preservation, Sharing, and Reuse-A Great Lakes Case Study. Fisheries 38:52-64
- Konar B** (2013) Lack of recovery from disturbance in high-arctic boulder communities. Polar Biol 36:1205-1214
- Kovach RP, **Gharrett AJ**, **Tallmon DA** (2013) Temporal patterns of genetic variation in a salmon population undergoing rapid change in migration timing. Evolutionary Applications 6:795-807
- Kovach RP, Joyce JE, Echave JD, Lindberg MS, **Tallmon DA** (2013) Earlier Migration Timing, Decreasing Phenotypic Variation, and Biocomplexity in Multiple Salmonid Species. PLoS One 8
- Lammers MO, Castellote M, Small RJ, **Atkinson S**, Jenniges J, Rosinski A, Oswald JN, Garner C (2013) Passive acoustic monitoring of Cook Inlet beluga whales (*Delphinapterus leucas*). Journal of the Acoustical Society of America 134:2497-2504
- Lapis T**, **Oliveira A**, **Crapo C**, **Himelbloom B**, Bechtel P, Long K (2013) Supplementing long-chain n-3 polyunsaturated fatty acids in canned wild Pacific pink salmon with Alaska salmon oil. Food Science & Nutrition 1:15-26
- Larson SD, Hoyt ZN, **Eckert GL**, Gill VA (2013) Impacts of sea otter (*Enhydra lutris*) predation on commercially important sea cucumbers (*Parastichopus californicus*) in southeast Alaska. Can J Fish Aquat Sci 70:1498-1507
- Lee SH, Yun MS, Kim BK, Joo H, Kang SH, Kang CK, **Whitledge TE** (2013) Contribution of small phytoplankton to total primary production in the Chukchi Sea. Cont Shelf Res 68:43-50
- Lee SH, Yun MS, Kim BK, Saitoh S, Kang CK, Kang SH, **Whitledge T** (2013) Latitudinal carbon productivity in the Bering and Chukchi Seas during the summer in 2007. Cont Shelf Res 59:28-36
- Lenz J, Fritz M, Schirrmeyer L, Lantuit H, **Wooller MJ**, Pollard WH, Wetterich S (2013) Periglacial landscape dynamics in the western Canadian Arctic: Results from a thermokarst lake record on a push moraine (Herschel Island, Yukon Territory). Palaeogeography Palaeoclimatology Palaeoecology 381:15-25
- Lescak E**, von Hippel F, Bernhardt R, Bell M (2013) Pelvic girdle reduction and asymmetry in threespine stickleback from Wallace Lake, Alaska. Evol Ecol Res 15:155-170
- Litzow M, **Mueter F**, Urban J (2013) Rising catch variability preceded historical fisheries collapses in Alaska. Ecol Appl 23:1475-1487
- Litzow MA, **Mueter FJ** (2013) Assessing the ecological importance of climate regime shifts: an approach from the North Pacific Ocean. Prog Oceanogr DOI: 10.1016/j.pocean.2013.08.003

- Litzow MA, **Mueter FJ**, Hobday AJ (2013) Reassessing regime shifts in the North Pacific: incremental climate change and commercial fishing are necessary for explaining decadal-scale biological variability. *Global Change Biology* DOI: 10.1111/gcb.12373
- Martini KI**, Alford MH, Kunze E, Kelly SM, Nash JD (2013) Internal Bores and Breaking Internal Tides on the Oregon Continental Slope. *J Phys Oceanogr* 43:120-139
- Mathias D, Thode A, Straley J, **Andrews R** (2013) Acoustic tracking of sperm whales in the Gulf of Alaska using a two-element vertical array and tags. *Journal of the Acoustical Society of America* 134:2446-2461
- Mathis JT**, **Questel JM** (2013) Assessing seasonal changes in carbonate parameters across small spatial gradients in the Northeastern Chukchi Sea. *Cont Shelf Res* 67:42-51
- Mellish J**, Nienaber J, **Polasek L**, Horning M (2013) Beneath the surface: Profiling blubber depth in pinnipeds with infrared imaging. *J Therm Biol* 38:10-13
- Michel C, Rice J, **Bluhm B**, Duarte C, Galucci V, Gaston T, Gordillo F, **Gradinger R**, **Hopcroft R**, Jensen N, Mustonen T, Nielsen T, Niemi A, Skjoldal H (2013) Arctic Marine Ecosystems. In: Meltofte H (ed) *Arctic Biodiversity Assessment - Status and Trends in Biodiversity in the Arctic*. Conservation of Arctic Flora and Fauna, Akureyri, p 378-419
- Miloslavich P, Cruz-Motta J, Klein E, **Iken K**, Weinberger V, **Konar B**, Trott T, Pohle G, Bigatti G, Benedetti-Cecchi L, Shirayama Y, Mead A, Palomo G, Ortiz M, Gobin J, Sardi A, Díaz J, **Knowlton A**, Wong M, Peralta A (2013) Large-scale spatial distribution patterns of gastropod assemblages in rocky shores. *PLoS One* 8:e71396
- Montazeri N**, **Himelbloom B**, **Oliveira A**, Leigh M, **Crapo C** (2013) Refined liquid smoke: a potential antilisterial additive to cold-smoked sockeye salmon (*Oncorhynchus nerka*). *J Food Protection* 76:812-819
- Montazeri N**, **Oliveira A**, **Himelbloom B**, Leigh M, **Crapo C** (2013) Chemical characterization of liquid smoke products. *Food Science & Nutrition* 1:102-115
- Moore M, **Andrews R**, Austin T, Bailey J, Costidis A, George C, Jackson K, Pitchford T, Landry S, Ligon A, McLellan W, Morin D, Smith J, Rotstein D, Rowles T, Slay C, Walsh M (2013) Rope trauma, sedation, disentanglement, and monitoring-tag associated lesions in a terminally entangled North Atlantic right whale (*Eubalaena glacialis*). *Mar Mamm Sci* 29:E98-E113
- Morey A**, **Oliveira A**, **Himelbloom B** (2013) Cellular fatty acid analysis for seafood bacteria identification. *J Biol Life Sci* 4:139-153
- Morton PL, Landing WM, Hsu SC, Milne A, **Aguilar-Islas AM**, Baker AR, Bowie AR, Buck CS, Gao Y, Gichuki S, Hastings MG, Hatta M, Johansen AM, Losno R, Mead C, Patey MD, Swarr G, Vandermark A, Zamora LM (2013) Methods for the sampling and analysis of marine aerosols: results from the 2008 GEOTRACES aerosol intercalibration experiment. *Limnology and Oceanography-Methods* 11:62-78
- Murauskas JG, Orlov AM, **Siwicke KA** (2013) Relationships between the Abundance of Pacific Lamprey in the Columbia River and Their Common Hosts in the Marine

- Environment. *Trans Am Fish Soc* 142:143-155
- Murphy M, Iken K** (2013) Larval brachyuran crab timing and distribution in relation to water properties and flow in a high-latitude estuary. *Estuaries and Coasts* doi: 10.1007/s12237-013-9668-2
- Neher TDH, **Rosenberger AE**, Zimmerman CE, Walker CM, Baird SJ (2013) Estuarine Environments as Rearing Habitats for Juvenile Coho Salmon in Contrasting South-Central Alaska Watersheds. *Trans Am Fish Soc* 142:1481-1494
- Norcross BL**, Raborn SW, **Holladay BA**, Gallaway BJ, Crawford ST, Priest JT, **Edenfield LE**, Meyer R (2013) Northeastern Chukchi Sea demersal fishes and associated environmental characteristics, 2009 – 2010. *Cont Shelf Res* <http://dx.doi.org/10.1016/j.csr.2013.05.010>
- Okamoto DK, Stekoll MS, **Eckert GL** (2013) Coexistence despite recruitment inhibition of kelps by subtidal algal crusts. *Marine Ecology Progress Series* 493:103-+
- Oliveira A, Himelbloom B, Montazeri N, Davenport M, Biceroglu H, Brenner K, Thomas S, Crapo C** (2013) Development and characterization of fish sausages supplemented with salmon oil. *J Food Proc Preserv* 10.1111/jfpp.12126
- Orcutt BN, LaRowe DE, Biddle JF, Colwell FS, Glazer BT, Reese BK, Kirkpatrick JB, Lapham LL, Mills HJ, Sylvan JB, Wankel SD, **Wheat CG** (2013) Microbial activity in the marine deep biosphere: Progress and prospects. *Frontiers in Extreme Microbiology*
- Orcutt BN, **Wheat CG**, Rouxel O, Hulme S, Edwards KJ, Bach W (2013) Oxygen Consumption rates in seafloor basaltic crust derived from a reaction transport model. *Nature Communications* doi:10.1038/ncomms3539
- Oxman DS, **Smoker WW, Gharrett AJ** (2013) Developmental progression of gill rakers as a post-hatch developmental marker in pink salmon, *Oncorhynchus gorbuscha*. *Environmental Biology of Fishes* 96:677-689
- Patrick HK, **Sutton TM** (2013) Invasives and sturgeon. In: Dempsey D, Auer N (eds) *The great lake sturgeon*. Michigan State University Press, East Lansing, p 153-171
- Peterson M, Mueter F**, Hanselman D, Lunsford C, Matkin C, Fearnbach H (2013) Killer whale (*Orcinus orca*) depredation effects on catch rates of six groundfish species: Implications for commercial longline fisheries in Alaska. *ICES J Mar Sci* 70:1220-1232
- Peterson MJ, Carothers C** (2013) Whale interactions with Alaskan sablefish and Pacific halibut fisheries: Surveying fishermen perception, changing fishing practices and mitigation. *Marine Policy* 42:315-324
- Petrik CM**, Jackson GA, Checkley DM (2013) Aggregates and their distributions determined from LOPC observations made using an autonomous profiling float. *Deep-Sea Res Part I-Oceanogr Res Pap* 74:64-81
- Pickart RS, Schulze LM, Moore GWK, Charette MA, Arrigo KR, Dijken Gv, **Danielson SL** (2013) Long-term trends of upwelling and impacts on primary productivity in the Alaskan Beaufort Sea. *Deep Sea Res Part I* <http://dx.doi.org/10.1016/j.dsr.2013.05.003>.
- Pinchuk AI, Coyle KO**, Farley EV, Renner HM (2013) Emergence of the Arctic

Themisto libellula (Amphipoda: Hyperiididae) on the southeastern Bering Sea shelf as a result of the recent cooling, and its potential impact on the pelagic food web. ICES J Mar Sci:10.1093/icesjms/fst1031

- Questel J, Clarke C, Hopcroft R** (2013) Seasonal and interannual variation in the planktonic communities of the northeastern Chukchi Sea during the summer and early fall. *Cont Shelf Res* 67:23-41
- Ramirez MJ, **Ravelo AM**, Lopardo L (2013) A simple device to collect, store and study samples of two-dimensional spider webs. *Zootaxa* 3750:189-192
- Ravelo A, Konar B**, Cooper L, Grebmeier J, Trefry J (2013) Epibenthic community variability in the northeastern Chukchi Sea. *Deep-Sea Res II* dx.doi.org/10.1016/j.dsr2.2013.07.017i
- Rea L, **Castellini JM**, Correa L, Fadely BS, O'Hara TM (2013) Maternal Steller sea lion diets elevate fetal mercury concentrations in an area of population decline. *Science of the Total Environment* doi: 10.1016/j.scitotenv.2013.02.095
- Ribeiro V, Oliveira A**, Bechtel P, Prentice C (2013) Evaluation of low temperature rendering of Alaska pollock (*Theragra chalcogramma*) liver oil. *Brazilian Journal of Food Tech* 16:99-106
- Robidart J, Callister SJ, Song P, Nicora CD, **Wheat CG**, Girguis PR (2013) Characterizing microbial community and geochemical dynamics at hydrothermal vents using osmotically-driven continuous fluid samplers. *Environ Sci and Technol* 47:4399-4407
- Siddon E**, Heintz R, **Mueter F** (2013) Conceptual model of energy allocation in walleye pollock (*Theragra chalcogramma*) from age-0 to age-1 in the southeastern Bering Sea. *Deep Sea Research Part II: Topical Studies in Oceanography* 94:140-149
- Siddon EC**, Kristiansen T, **Mueter FJ**, Holsman KK, Heintz RA, Farley EV (2013) Spatial Match-Mismatch between Juvenile Fish and Prey Provides a Mechanism for Recruitment Variability across Contrasting Climate Conditions in the Eastern Bering Sea. *PLoS One* 8
- Smart TI, **Siddon EC**, Duffy-Anderson JT (2013) Vertical distributions of the early life stages of walleye pollock (*Theragra chalcogramma*) in the Southeastern Bering Sea. *Deep-Sea Res Pt II* 94:201-210
- Stafford KM, **Okkonen SR**, Clarke JT (2013) Correlation of a strong Alaska Coastal Current with the presence of beluga whales (*Delphinapterus leucas*) near Barrow, Alaska. *Mar Ecol Prog Ser* 474:287–297
- Stolarski J, Sutton T** (2013) Precision analysis of three aging structures for amphidromous Dolly Varden char from Alaskan Arctic rivers. *North American Journal of Fisheries Management* 33:732-740
- Strong J, Criddle K** (2013) Fishing for Pollock in a Sea of Change: A Historical Analysis of the Bering Sea Pollock Fishery, Vol. University of Alaska Sea Grant, Fairbanks
- Sutton TM**, Wilson DM, Ney JJ (2013) Biotic and abiotic determinants of stocking success for striped bass in inland waters. In: J. S. Bulak CCC, and J. A. Rice (ed) *Biology and management of inland striped bass and hybrid striped bass*. American Fisheries Society, Symposium 80, Bethesda, Maryland, p 365-382

- Sutton TM**, Zeiber RA, Fisher BE (2013) Agonistic behavioral interactions between introduced western mosquitofish and topminnows. *Journal of Freshwater Ecology* 28:1-16
- Swiney KM, **Eckert GL**, **Kruse GH** (2013) Does maternal size affect Red King Crab, *Paralithodes camtschaticus*, embryo and larval quality? ? *J Crustac Biol* 33:470-480
- Swingle JS, **Daly B**, Hetrick J (2013) Temperature effects on larval survival, larval period, and health of hatchery-reared red king crab, *Paralithodes camtschaticus*. *Aquaculture* 384:13-18
- Timmermans ML, **Winsor P** (2013) Scales of horizontal density structure in the Chukchi Sea surface layer. *Cont Shelf Res* 52:39-45
- Torres-Valdes S, Tsubouchi T, Bacon S, Naveira-Garabato AC, Sanders R, McLaughlin FA, Petrie B, Kattner G, Azetsu-Scott K, **Whitledge TE** (2013) Export of nutrients from the Arctic Ocean. *J Geophys Res-Oceans* 118:1625-1644
- Trumble SJ, O'Neil D, Cornick LA, Gulland FMD, **Castellini MA**, **Atkinson S** (2013) Endocrine Changes in Harbor Seal (*Phoca vitulina*) Pups Undergoing Rehabilitation. *Zoo Biology* 32:134-141
- Unger SD, Rhodes OE, **Sutton TM**, Williams RN (2013) Population Genetics of the Eastern Hellbender (*Cryptobranchus alleganiensis alleganiensis*) across Multiple Spatial Scales. *PLoS One* 8
- Unger SD, **Sutton TM**, Williams RN (2013) Projected population persistence of eastern hellbenders (*Cryptobranchus alleganiensis alleganiensis*) using a stage-structured life-history model and population viability analysis. *J Nat Conserv* 21:423-432
- Venkatesan MII, **Naidu AS**, **Blanchard AL**, Misra D, **Kelley JJ** (2013) Historical changes in trace metals and hydrocarbons in nearshore sediments, Alaskan Beaufort Sea, prior and subsequent to petroleum-related industrial development: Part II. Hydrocarbons. *Marine Pollution Bulletin* 77:147-164
- Vulstek SC**, Linderoth TP, Templin WD, Guyon JR, **Tallmon DA** (2013) Spatio-temporal population genetic structure and mating system of red king crab (*Paralithodes camtschaticus*) in Alaska. *J Crustac Biol* 79:133-138
- Waite J**, **Mueter F** (2013) Spatial and temporal variability of chlorophyll-a concentrations in the coastal Gulf of Alaska, 1998-2011, using cloud-free reconstructions of SeaWiFS and MODIS-Aqua data. *Prog Oceanogr* 116:179-192
- Walker LR, Sikes DS, DeGange AR, **Jewett SC**, Michaelson G, Talbot SL, Talbot SS, Wang B, Williams JC (2013) Biological legacies: Direct early ecosystem recovery and food web reorganization after a volcanic eruption in Alaska. *Ecoscience* 20:240-251
- Wang SW**, Budge SM, **Gradinger RR**, **Iken K**, **Wooller MJ** (2013) Fatty acid and stable isotope characteristics of sea ice and pelagic particulate organic matter in the Bering Sea: tools for estimating sea ice algal contribution to Arctic food web production. *Oecologia*:1-14
- Wedding LM, Friedlander AM, Kittinger JN, Watling L, Gaines SD, Bennett M, **Hardy SM**, Smith CR (2013) From principles to practice: a spatial approach to

systematic conservation planning in the deep sea. Proc R Soc B
280:doi:10.1098/rspb.2013.1684

- Weingartner T, Dobbins E, Danielson S, Winsor P, Potter R, Statscewich H** (2013) Hydrographic variability over the northeastern Chukchi Sea shelf in summer-fall 2008–2010. Cont Shelf Res <http://dx.doi.org/10.1016/j.csr.2013.03.012>
- Wheat CG**, Hulme SM, Fisher AT, Orcutt BN, Becker K (2013) Seawater Recharge Into Oceanic Crust: IODP Exp 327 Site U1363 Grizzly Bare outcrop. Geochemistry, Geophysics, Geosystems 14:10.1002/ggge.20131
- Wheat CG**, Paul C, Fournier T, Arnow L, Monahan K (2013) RETINA: Illuminating elementary scientists with STEM modules. J Marine Educators, Currents 28:34-38
- Yeung C, Yang M-S, **Jewett SC, Naidu AS** (2013) Polychaete assemblage as surrogate for prey availability in assessing southeastern Bering Sea flatfish habitat. Journal of Sea Research 76:211-221
- Zale AV, **Sutton TM**, Parrish DL (2013) Conducting fisheries investigations. In: Zale AV, Parrish DL, **Sutton TM** (eds) Fisheries techniques. American Fisheries Society, Bethesda, Maryland, p 1-14
- Zimmerman CE, Ramey AM, Turner SM, **Mueter FJ**, Murphy SM, Nielsen JL (2013) Genetics, recruitment, and migration patterns of Arctic cisco (*Coregonus autumnalis*) in the Colville River, Alaska, and Mackenzie River, Canada. Polar Biol 36:1543-1555